

OM DESIGN SERIES



Mirage®



OM DESIGN SERIES

In the concert hall the orchestra completes its warm-up. The audience applauds as the soloist takes the stage and then goes still. The conductor steps onto the podium and with a stroke of his baton the music begins. Each note from each instrument reaches your ear with its own sweet clarity as a sea of glorious sound envelopes you from all sides.

Suddenly you realize you are not in a concert hall. You are in your own living room. But even there you are not listening to speakers but to the artists themselves.

Welcome to the ultimate illusion. Welcome to Mirage OM Design.



OMD-28

Mirage Loudspeaker's innovative speaker designs have been at the top of the audio community for over 30 years. Mirage's latest ingenious masterpiece is the revolutionary OMD-28. A timeless statement piece that combines pure luxury, incredible cabinet finishing and the most sophisticated artistry in loudspeaker design.

The OMD-28 speakers offer a level of tonal detail and accuracy unlike anything you have ever experienced. Two 8" woven carbon fibre woofers mated to Mirage's patented Ribbed Elliptical Surround allow the OMD-28 to achieve outstanding bass extension. Two down-firing ports, a 5.25" midrange driver and a high efficiency 1.125" PTH™ tweeter mounted in Mirage's exclusive OMNIGUIDE design, complete this amazing speaker package. The handmade cabinets are beautifully finished in stunning high gloss black, high gloss rosewood or in exquisite high gloss burl maple.

Mirage's revolutionary OMD-28 is the first true high-end OMNIGUIDE-based audiophile speaker. OMNIGUIDE technology was developed to mimic the way sound is created in real life. This patented technology embraces room reflections rather than avoiding them, allowing the speakers to evenly fill out the entire room and as such, creating the most realistic sound reproductions imaginable. Close your eyes, embrace the moment and listen, not to the speakers, but the artists you cherish.



OMD-C2

The stylish three-way OMD-C2 Center Channel features Mirage's proprietary OMNIPOLAR technology, creating a 360° sound field that brings movies and multi-channel audio tracks to life. Never before has "being at the movies" felt so realistic and so seamless. The OMD-C2 offers precise dialogue placement, while at the same time conveying a spaciousness and presence impossible to achieve from conventional forward-radiating center channel speakers.




OMD-R

The OMNIPOLAR radiation pattern created by the OMD-R provides seamless blending between front and rear surround effects, creating an impressive home theater experience. Fewer speaker placement headaches arise with the use of the OMD-R surround speakers. The OMD-R surround sound channel is perfect for creating sound effects or reproducing demanding multi-channel audio tracks.




AVAILABLE FINISHES



Model	OMD-28
Speaker System Type	OMNIPOLAR™ Bass Reflex Loudspeaker with Down-firing Vents
Recommended Amplifier Power	50-300 Watts (Unclipped)
Impedance	6 Ohms Nominal / 3.5 Ohms Minimum
Frequency Response	25 Hz - 20 Hz
Usable Low Frequency Response	-10 dB Anechoic @ 18 Hz
Sensitivity	87 dB
Crossover Points	550 Hz and 2.5 kHz
Tweeter	1.1" (2.8 cm) Chambered Titanium Dome
Midrange	5.25" (13.3 cm) Multi-layer Carbon Fiber / Fiberglas™ Hybrid with Underhung Motor System
Woofer	Two 8" (20.3 cm) Multi-layer Carbon Fiber
Dimensions (H x W x D)	46.5 x 11 x 13 inches / 118.1 x 27.9 x 33 cm
Weight	73 lb / 33.1 kg
Finishes	High Gloss Black; High Gloss Rosewood; High Gloss Burled Maple
Accessories Included	Locking Aluminum Cone Feet; Polishing Cloth; Gloves

Model	OMD-C2
Speaker System Type	OMNIPOLAR™ Acoustic Suspension Center Channel Speaker
Recommended Amplifier Power	25-200 Watts (Unclipped)
Impedance	6 Ohms Nominal / 4 Ohms Minimum
Frequency Response	60 Hz - 20 Hz
Sensitivity	88 dB
Crossover Points	550 Hz and 2.5 kHz
Tweeter	1.1" (2.8 cm) Chambered Titanium Dome
Midrange	5.25" (13.3 cm) Multi-layer Carbon Fiber / Fiberglas™ Hybrid with Underhung Motor System
Woofer	Two 6.5" (16.5 cm) Multi-layer Carbon Fiber
Dimensions (H x W x D)	9.9 x 25 x 14.8 inches / 25.2 x 63.5 x 37.7 cm - with binding posts
Weight	32 lb / 14.5 kg
Finishes	High Gloss Black; High Gloss Rosewood; High Gloss Burled Maple
Accessories Included	Locking Aluminum Cone Feet; Polishing Cloth; Gloves

Model	OMD-R
Speaker System Type	OMNIPOLAR™ Acoustic Suspension Loudspeaker
Recommended Amplifier Power	25-200 Watts (Unclipped)
Impedance	6 Ohms Nominal / 4 Ohms Minimum
Frequency Response	75 Hz - 20 Hz
Sensitivity	90 dB
Crossover Points	800 Hz and 2.7 kHz
Tweeter	Two 1" (2.5 cm) Titanium Domes
Midrange	Two 2" (5.1 cm) Chambered Titanium Cones
Woofer	Two 5.25" (13.3 cm) Multi-layer Carbon Fiber with Underhung Motor Systems
Dimensions (H x W x D)	14.8 x 14.7 x 7.3 inches / 37.5 x 37.4 x 18.2 cm
Weight	22 lb / 9.9 kg
Finishes	High Gloss Black
Accessories Included	Wall mount Bracket; Polishing Cloth; Gloves



www.miragespeakers.com
© Audio Products International Corp.

Specifications Subject to Change Without Prior Notice.

“Mirage” and the “Mirage” logo are trademarks of Audio Products International Corp.
All other brand and product names are trademarks or registered trademarks of their respective companies.

NORTH AMERICA - API, 3641 McNicoll Avenue, Toronto, ON Canada M1X 1G5 ~ Tel: 416 321 1800
AUSTRALIA - Audio Products Pty Ltd., Unit 6, 61-67 O’Riordian, S. Alexandria, Australia 2015 ~ Tel: 612 966 93477
EUROPE - API Europe, BV Poppenbouwing 56, Geldermalsen, Netherlands 4191 Nz ~ Tel: 313 455 88080
PRINTED IN CANADA

3PMB080E